

Lec Medical PE109 45 Litre



- Temperature range: +2°C to +8°C, fan assisted for enhanced temperature uniformity
- Hinged, reversible door
- High/low audio and visual temperature alarm
- External LED temperature display
- 1 x wire shelf, 1 x wire drawer
- Lockable, with 2 keys provided
- Automatic defrost
- HFC Free
- Dimensions: 53H x 47W x 46.5D cm
- Weight: 20kg

Extra carriage to Northern Scotland & offshore islands

8956	PE109 Solid Door, 45 litre	£424.00
5605	USB Temperature Datalogger	£67.50
5609	Platinum Installation & Removal Service	£80.00

Lec Medical PE102 & PG102 - 41 Litre



- Choice of solid or glass door
- Temperature range: +2°C to +8°C, fan assisted for enhanced temperature uniformity
- Right hinged door, magnetic seal
- Open door sensor and alarm
- High/low audio and visual temperature alarm
- External LED temperature display
- 2 x wire shelves
- Lockable, with 2 keys provided
- Automatic defrost
- HFC Free
- Dimensions: 70.2H x 37.9W x 50D cm
- Weight: 23.5kg solid door
25.5kg glass door

Extra carriage to Northern Scotland & offshore islands

5594	PE102 Solid Door, 41 litre	£568.00
5595	PG102 Glass Door, 41 litre	£678.00
5605	USB Temperature Datalogger	£67.50
5609	Platinum Installation & Removal Service	£80.00

Lec Medical PE207 & PG207 - 82 Litre



- Choice of solid or glass door
- Temperature range: +2°C to +8°C, fan assisted for enhanced temperature uniformity
- Reversible door with magnetic seal
- Open door sensor and alarm
- High/low audio and visual temperature alarm
- External LED temperature display
- 2 x wire shelves and 1 x wire basket
- Interior light on glass door model
- Lockable, with 2 keys provided
- Automatic defrost
- HFC Free
- Dimensions: 66H x 50.2W x 54D cm
- Weight: 27.5kg solid door
30kg glass door

Extra carriage to Northern Scotland & offshore islands

5596	PE207 Solid Door, 82 litre	£737.00
5597	PG207 Glass Door, 82 litre	£982.00
5605	USB Temperature Datalogger	£67.50
5609	Platinum Installation & Removal Service	£80.00

Lec Medical PE307 & PG307 - 107 Litre



- Choice of solid or glass door
- Temperature range: +2°C to +8°C, fan assisted for enhanced temperature uniformity
- Reversible door
- Open door sensor and alarm
- High/low audio and visual temperature alarm
- External LED temperature display
- 2 x wire shelves & 1 x wire drawer
- Lockable, with 2 keys provided
- Automatic defrost
- HFC Free
- Dimensions: 83H x 49.5W x 58D cm
- Weight: 33kg

Extra carriage to Northern Scotland & offshore islands

9488	PE307 Solid Door, 107 litre	£963.00
9489	PG307 Glass Door, 107 litre	£1196.00
5605	USB Temperature Datalogger	£67.50
5609	Platinum Installation & Removal Service	£80.00

Lec Medical PE507, PG507, PE507DP2 & PG507DP2 - 153 Litre



- Choice of solid, glass door & with or without new drawer system
- Temperature range: +2°C to +8°C, fan assisted for enhanced temperature uniformity
- Reversible door with magnetic seal
- Full length handle
- Open door sensor and alarm
- High/low audio and visual temperature alarm
- External LED temperature display
- 2 x wire shelves and 1 x wire basket in PE507 & PG507
- 4 x wire pull out drawers and 1 x wire basket in PE507DP2 & PG507DP2
- Interior light
- Lockable, with 2 keys provided
- Automatic defrost
- HFC Free
- Dimensions: 86.3H x 55.8W x 60D cm
- Weight: 507 34kg solid door, 52kg glass door
507DP2 40kg solid door, 58kg glass door



Extra carriage to Northern Scotland & offshore islands

5598	PE507 Solid Door, 153 litre	£862.00
5603	PE507DP2 Solid Door with Drawers, 153 litre	£1053.00
5599	PG507 Glass Door, 153 litre	£1118.00
8957	PG507DP2 Glass Door with Drawers, 153 litre	£1297.00
5605	USB Temperature Datalogger	£67.50
5609	Platinum Installation & Removal Service	£80.00

Lec Medical PE907, PG907, PE907DP2 & PG907DP2 - 286 Litre

- Choice of solid, glass door & with or without new drawer system
- Temperature range: +2°C to +8°C, fan assisted for enhanced temperature uniformity
- Reversible door with magnetic seal
- Full length handle
- Open door sensor and alarm
- Adjustable feet and roller castors
- High/low audio and visual temperature alarm
- External LED temperature display
- 5 x wire shelves and 1 x wire basket in PE907 & PG907 models
- 6 x wire pull out drawers and 1 x wire basket in PE907DP2 & PG907DP2
- Interior light
- Lockable, with 2 keys provided
- Automatic defrost
- HFC Free
- Dimensions: 155.5H x 59.5W x 60D cm
- Weight: 907 81.5kg solid door, 107kg glass door
907DP2 90kg solid door, 115.5kg glass door



Extra carriage to Northern Scotland & offshore islands

5600	PE907 Solid Door, 286 litre	£1134.00
5604	PE907DP2 Solid Door with Drawers, 286 litre	£1429.00
5601	PG907 Glass Door, 286 litre	£1479.00
8958	PG907DP2 Glass Door with Drawers, 286 litre	£1757.00
5609	Platinum Installation & Removal Service	£80.00

Lec Medical Platinum Installation & Removal

Service includes fast delivery of your new Lec Medical Pharmacy Refrigerator, unpacking, locating, removing of all packing material and if requested removal of old refrigerator.

5609	Platinum Installation & Removal Service	£80.00
------	---	--------

Standard delivery - Ground floor only

If your new Lec Medical Pharmacy Refrigerator is replacing an existing refrigerator we will arrange the collection and safe disposal of your old refrigerator according to WEEE standards. Please note the disposal of your old refrigerator will not be made on the same day as installation, it can take up to 6 weeks



Lec Medical PE357 - 354 Litre



- Temperature range: +2°C to +8°C, fan assisted for enhanced temperature uniformity
- Reversible door with magnetic seal
- Full length handle
- Open door sensor and alarm
- Adjustable feet and roller castors
- High/low audio and visual temperature alarm
- External LED temperature display
- 6 x wire shelves and 1 x wire basket
- Interior light
- Lockable, with 2 keys provided
- Automatic defrost
- HFC Free
- Dimensions: 185H x 59.5W x 60D cm
- Weight: 85kg

Extra carriage to Northern Scotland & offshore islands

5602	PE357 Solid Door, 354 litre	£1670.00
5605	USB Temperature Datalogger	£67.50
5609	Platinum Installation & Removal Service	£80.00

Lec Medical PE1607 & PG1607 - 444 Litre



- Choice of solid or glass door
- Temperature range: +2°C to +8°C, fan assisted for enhanced temperature uniformity
- Right hand hinged door with magnetic seal
- Full length handle
- Open door sensor and alarm
- Lockable roller castors for easy movement
- High/low audio and visual temperature alarm
- External LED temperature display
- 5 x wire shelves
- Interior light on glass door model
- Lockable, with 2 keys provided
- Automatic defrost
- HFC Free
- Dimensions: 168.8H x 68.5W x 91D cm
- Weight: 130kg

Extra carriage to Northern Scotland & offshore islands

8243	PE1607 Solid Door, 444 litre	£2958.00
8244	PG1607 Glass Door, 444 litre	£3212.00
5606	USB Temperature Datalogger	£67.50
5609	Platinum Installation & Removal Service	£80.00

Electronic Maximum / Minimum Thermometer



- Versatile electronic thermometer shows both interior and exterior temperatures and records the maximum and minimum temperatures measured in both places
- Large Clear Display
- Range: -50°C to 70°C
- Integrated stand and hanging slot
- Shows both temperatures simultaneously
- 10 second sampling cycle
- 2500mm cable
- Stainless steel probe
- Size 10H x 7.5W x 1.8D cm
- 2 x 1.5V batteries supplied

7361 Max Min Thermometer £21.50

Lec Medical Temperature Datalogger



- Temperature range: -35°C to +80°C
- Records temperature from every 10 seconds to every 12 hours
- Simply place on shelf
- Can be used in any make of refrigerator or freezer
- Readings transferred to PC via direct USB connection and downloaded data displayed in a graph
- Stores 16,382 readings
- Easy to set temperature parameters
- Flashing LED indicator to show when temperature goes above or below the parameters and for low battery
- Replaceable Lithium battery
- IP67 Standard Moisture Protection when cap fitted
- Compatible with Windows 2000/XP/Vista/7
- Dimensions: 10H x 2.5W x 2.5D cm
- Supplied with set-up CD

5605 Temperature Datalogger £67.50

Universal Fridge Storage Tray



- Simply sits on top of the existing fridge shelf or an existing cupboard shelf
- Complete with Perspex dividers
- Dimensions: 6H x 45.7W x 40.4D cm

9349 Fridge Storage Tray £70.00

How to choose your professional Labcold pharmacy fridge



When deciding on a pharmacy fridge it is important to ensure that the refrigerator is large enough for the amount of vaccines and medicines you intend storing to ensure they are kept at the correct temperature.

Another important consideration is whether to choose a glass or solid door refrigerator. Glass door refrigerators are excellent for display purposes and offer an easy visual check of stock thus minimising door opens and preserving temperature stability.

Whatever your choice, it is essential for your valuable stock and patient safety that your pharmacy refrigerator conforms to all the RPSGB/GPhC guidelines and the DoH Green book.

All Labcold Fridges are CFC, HCFC and Ammonia free.

Model	LDF0105	RLDF0205	RLDF0505	RLDG0505	RLDF1005	RLDG1005	RLDF1505	RLDG1505	RLDF18041	RPDF0012D
Capacity (litres)	36	66	150	150	300	300	430	430	505	12
Height (mm)	535	720	820	820	1487	1487	1860	18	1695	290
Width (mm)	445	445	820	600	600	600	600	600	770	415
Depth (mm)	465	475	600	600	650	650	680	680	730	285
Interior	Enamelled	Enamelled	Enamelled	Enamelled	Enamelled	Enamelled	Enamelled	Enamelled	Enamelled	Aluminium
Exterior	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	Steel	/Plastic
Style	Wall Mounted/ Bench Top	Wall Mounted/ Bench Top	Under bench	Under bench	Free - standing	Free - standing	Free - standing	Free - standing	Free - standing	Portable
Door	Solid	Solid	Solid	Glass	Solid	Glass	Solid	Glass	Solid	N/A
High Alarm	✓	✓	✓	✓	✓	✓	✓	✓	✓	N/A
Low Alarm	✓	✓	✓	✓	✓	✓	✓	✓	✓	N/A
Temp Display	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Auto Defrost	✓	✓	✓	✓	✓	✓	✓	✓	✓	N/A
Min/Max Temp Recording	✓	✓	✓	✓	✓	✓	✓	✓	✓	N/A
Fan Circulated Interior	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Adjustable Shelves	2	3	3	3	6	6	6	6	5	2 Parts
Door Lock	✓	✓	✓	✓	✓	✓	✓	✓	✓	N/A
CFC, HCFC & Ammonia Free	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Temp Range	+2°/+8°C	+2°/+8°C	+2°/+8°C	+2°/+8°C	+2°/+8°C	+2°/+8°C	+2°/+8°C	+2°/+8°C	+2°/+8°C	+5°/+60°C
DH Green Book & RPSGB/GPhC Compliant	✓	✓	✓	✓	✓	✓	✓	✓	✓	N/A

Labcold F0012D Portable Vaccine and Sample Carrier - 12 litre

Complete with carrier strap, both in-car and mains power cables and featuring precise digital temperature setting, this carrier is ideal for a wide range of mobile medical and scientific solutions.

- Temperature range: -5°C to +60°C
- Two interior compartments with insulated inner lid
- Digital temperature adjustment and display of set point
- CFC, HCFC, Ammonia free
- 230 volt A.C. and 12 volt D.C. operation (cables supplied)
- Weight: 6.2kg
- Exterior dimensions: 29H x 41.5W x 28.5D cm
- Interior dimensions: 20H x 33.5W x 16D cm



4790 Labcold F0012D, 12 litre

£320.00



Labcold F1005 Solid Door Pharmacy Refrigerator - 300 litre



- Temperature range: +2° to +8 C°
- 6 shelves
- Lockable
- Built in thermometer
- Free standing refrigerator constructed for the sole purpose of storing vaccines and other pharmaceuticals in controlled temperatures
- Dimensions: 148.7H x 60W x 65D cm

Extra carriage to Northern Scotland & offshore islands

4785 F1005 Solid Door, 300 litre £995.00

Labcold G1005 Glass Door Pharmacy Refrigerator 300 litre



- Temperature range: +2° to +8 C°
- 6 shelves
- Lockable
- Built in thermometer
- Free standing refrigerator with a glass door for attractive display purposes with the advantage of minimising door openings due to easy visual stock assessment
- Dimensions: 148.7H x 60W x 65D cm

Extra carriage to Northern Scotland & offshore islands

4786 G1005 Glass Door, 300 litre £1355.00

Labcold F1505 Solid Door / G1505 Glass Door Pharmacy Refrigerator - 430 litre

NEW



- Choice of solid or glass door
- Temperature range: +2° to +8 C°
- 6 shelves
- Lockable
- Built in thermometer
- Large, free standing refrigerator specially constructed for the purpose of storing vaccines and other pharmaceuticals, in optimum, controlled conditions
- Dimensions: 186H x 60W x 68D cm

Extra carriage to Northern Scotland & offshore islands

4787 F1505 Solid Door, 430 litre £1795.00
4788 G1505 Glass Door, 430 litre £1995.00

Labcold F18041 Solid Door Pharmacy Refrigerator - 505 litre



- Temperature range: +2° to +8 C°
- 5 shelves
- Lockable
- Built in thermometer
- Large free standing refrigerator developed with all technology required such as integral temperature display, alarm and forced air cooling
- Dimensions: 169.5H x 77W x 73D cm

Extra carriage to Northern Scotland & offshore islands

4789 F18041 Solid Door, 505 litre £2580.00

Labcold F0105 Bench Top/Wall Mounted Pharmacy Refrigerator - 36 litre



- Temperature range: +2° to +8 C°
- 2 shelves
- Lockable
- Built in thermometer
- Compact, yet complete with all the features you would expect from a purpose built pharmacy refrigerator designed specifically for the controlled storage of drugs and vaccines
- Ideal for bench top storage or wall mount
- Integral wall mounting
- Dimensions: 53.5H x 44.5W x 46.5D cm

Extra carriage to Northern Scotland & offshore islands

4781 F0105 Solid Door, 36 litre £435.00

Labcold F0205 Bench Top/Wall Mounted Pharmacy Refrigerator 66 litre



- Temperature range: +2° to +8 C°
- 3 shelves
- Lockable
- Built in thermometer
- Ideal for bench top storage or wall mounted
- Integral wall mounting
- The integral lock ensures that contents are kept secure
- Dimensions: 72H x 44.5W x 47.5D cm

Extra carriage to Northern Scotland & offshore islands

4778 F0205 Solid Door, 66 litre £530.00

Labcold F0505 Solid Door Pharmacy Refrigerator - 150 litre



- Temperature range: +2° to +8 C°
- 3 shelves
- Lockable
- Built in thermometer
- Compact, easy to clean under bench refrigerator
- Constructed for the sole purposes of storing vaccines and other pharmaceuticals in the best conditions
- Dimensions: 82H x 60W x 60D cm

Extra carriage to Northern Scotland & offshore islands

4783 F0505 Solid Door, 150 litre £755.00

Labcold G0505 Glass Door Pharmacy Refrigerator - 150 litre



- Temperature range: +2° to +8 C°
- 3 shelves
- Lockable
- Built in thermometer
- Compact, easy to clean under bench refrigerator
- Glass fronted Pharmacy fridge for attractive storage of contents with the added bonus that door openings can be reduced and stock easily assessed
- Dimensions: 82H x 60W x 60D cm

Extra carriage to Northern Scotland & offshore islands

4784 G0505 Glass Door, 150 litre £990.00

Shoreline SM45 Pharmacy Refrigerator - 45 Litre



- Solid door only
- Temperature Range +2°C to +8°C
- Forced-Air Cooling for even temperature distribution
- Digital LED Temperature Display with ShoreTouch™ simple use controls
- Audio / Visual Alarm on Temperature Deviation
- MAX/MIN Temperature Memory
- Automatic Defrosting
- Right Hand Hinged Locking Doors with 2 keys
- CFC & Ammonia free
- RPSGB, NHS, WHO, RCVS compliant
- 220-240v 50Hz
- Max. Ambient +32°C
- Optional wall bracket
- Supplied with Certificate of Conformity
- 2 Shelves
- Dimensions: 71.5H x 38W x 37.5D cm

Extra carriage to Northern Scotland & offshore islands

8804	SM45, Solid Door, 45 litre	£465.00
4804	Wall Bracket for SM60G and SM45	£80.00

Shoreline SM60G Pharmacy Refrigerator - 60 Litre



- Glass door only
- Temperature Range +2°C to +8°C
- Forced-Air Cooling for even temperature distribution
- Digital LED Temperature Display with ShoreTouch™ simple use controls
- Audio / Visual Alarm on Temperature Deviation
- MAX/MIN Temperature Memory
- Automatic Defrosting
- Right Hand Hinged Locking Doors with 2 keys
- CFC & Ammonia free
- RPSGB, NHS, WHO, RCVS compliant
- 220-230v 50Hz
- Max. Ambient +32°C
- Optional wall bracket
- Supplied with Certificate of Conformity
- 2 Shelves
- Dimensions: 66H x 47W x 45.5D cm

Extra carriage to Northern Scotland & offshore islands

4792	SM60G, Glass Door, 60 litre	£685.00
4804	Wall Bracket for SM60G and SM45	£80.00

Shoreline SM75 Pharmacy Refrigerator - 75 Litre



- Solid door only
- Temperature Range +2°C to +8°C
- Forced-Air Cooling for even temperature distribution
- Digital LED Temperature Display with ShoreTouch™ simple use controls
- Audio / Visual Alarm on Temperature Deviation
- MAX/MIN Temperature Memory
- Automatic Defrosting
- Right Hand Hinged Locking Doors with 2 keys
- CFC & Ammonia free
- RPSGB, NHS, WHO, RCVS compliant
- 220-240v 50Hz
- Max. Ambient +32°C
- Supplied with Certificate of Conformity
- 2 Shelves
- Dimensions: 79H x 45W x 43D cm

Extra carriage to Northern Scotland & offshore islands

9858	SM75, Solid Door, 75 litre	£585.00
------	----------------------------	---------

Shoreline SM161 & SM161G Pharmacy Refrigerators 141 Litre



- Choice of solid or glass door
- Temperature Range +2°C to +8°C
- New High Efficiency Thick Wall Insulation
- New Self-Closing Door
- Forced-Air Cooling for even temperature distribution
- Digital LED Temperature Display with ShoreTouch™ simple use controls
- Audio / Visual Alarm on Temperature Deviation
- MAX/MIN Temperature Memory
- Automatic Defrosting
- Right Hand Hinged Locking Doors with 2 keys
- CFC & Ammonia free
- RPSGB, NHS, WHO, RCVS compliant
- 220-240v 50Hz for solid door, 220-230v 50Hz for glass door
- Max. Ambient +43°C for solid door, and +38° for glass door
- Supplied with Certificate of Conformity
- 3 Shelves
- Dimensions: 83.5H x 60W x 61.5D cm



Extra carriage to Northern Scotland & offshore islands

9859	SM161, Solid Door, 141 litre	£895.00
9860	SM161G, Glass Door, 141 litre	£1075.00

Shoreline SM150 Pharmacy Refrigerator - 151 Litre

- Solid door only
- Temperature Range +2°C to +8°C
- Forced-Air Cooling for even temperature distribution
- Digital LED Temperature Display with ShoreTouch™ simple use controls
- Audio / Visual Alarm on Temperature Deviation
- MAX/MIN Temperature Memory
- Automatic Defrosting
- Right Hand Hinged Locking Doors with 2 keys
- CFC & Ammonia free
- RPSGB, NHS, WHO, RCVS compliant
- 220-240v 50Hz
- Max. Ambient +32°C
- Supplied with Certificate of Conformity
- 3 Shelves
- Dimensions: 85.5H x 55W x 60D cm



Extra carriage to Northern Scotland & offshore islands

4793	SM150, Solid Door, 151 litre	£795.00
------	------------------------------	---------

Shoreline SM260 & SM260G Pharmacy Refrigerators - 252 Litre

- Choice of solid or glass door
- Temperature Range +2°C to +8°C
- Forced-Air Cooling for even temperature distribution
- Digital LED Temperature Display with ShoreTouch™ simple use controls
- Audio / Visual Alarm on Temperature Deviation
- MAX/MIN Temperature Memory
- Automatic Defrosting
- Right Hand Hinged Locking Doors with 2 keys
- CFC & Ammonia free
- RPSGB, NHS, WHO, RCVS compliant
- 220-240v 50Hz for solid door, 220-230v 50Hz for glass door
- Max. Ambient +32°C
- Supplied with Certificate of Conformity
- 4 Shelves
- Dimensions: 122.5H x 60W x 60D cm

Optional Drawer Unit 4803



Extra carriage to Northern Scotland & offshore islands

4796	SM260, Solid Door, 252 litre	£1095.00
4797	SM260G, Glass Door, 252 litre	£1345.00

Optional accessories – please specify at time of ordering

4803	Single Sliding Drawer with Dividers	£145.00
------	-------------------------------------	---------



Shoreline SM360 & SM360G Pharmacy Refrigerators- 352 Litre



- Choice of solid or glass door
- Temperature Range +2°C to +8°C
- Forced-Air Cooling for even temperature distribution
- Digital LED Temperature Display with ShoreTouch™ simple use controls
- Audio / Visual Alarm on Temperature Deviation
- MAX/MIN Temperature Memory
- Automatic Defrosting
- Right Hand Hinged Locking Doors with 2 keys
- CFC & Ammonia free
- RPSGB, NHS, WHO, RCVS compliant
- 220-240v 50Hz for solid door, 220-230v 50Hz for glass door
- Max. Ambient +32°C
- Supplied with Certificate of Conformity
- 5 Shelves
- Dimensions: 159.5H x 60W x 60D cm

Extra carriage to Northern Scotland & offshore islands

4798	SM360, Solid Door, 352 litre	£1365.00
4799	SM360G, Glass Door, 352 litre	£1635.00

Optional accessories – please specify at time of ordering

4803	Single sliding drawer with dividers	£145.00
------	-------------------------------------	---------

Shoreline SM541 & SM541G Pharmacy Refrigerators- 544 Litre



- Choice of solid or glass door
- Temperature Range +2°C to +8°C
- New High Efficiency Thick Wall Insulation
- New Self-Closing Door
- Remote Alarm Terminals (Volt-Free)
- Castors – 2 front locking
- Forced-Air Cooling for even temperature distribution
- Digital LED Temperature Display with ShoreTouch™ simple use controls
- Audio / Visual Alarm
- MAX/MIN Temperature Memory
- Automatic Defrosting
- Right Hand Hinged Locking Doors with 2 keys
- CFC & Ammonia free
- RPSGB, NHS, WHO, RCVS compliant
- 220-240v 50Hz for solid door, 220-230v 50Hz for glass door
- Max. Ambient +43°C for solid door, and +38° for glass door
- Supplied with Certificate of Conformity
- 5 Shelves
- Dimensions: 174.5H x 75W x 73D cm

Extra carriage to Northern Scotland & offshore islands

9861	SM541, Solid Door, 544 litre	£2485.00
9862	SM541G, Glass Door, 544 litre	£2850.00

Shoreline SMP26, SMP41 & SMP65 Portable Pharmacy Refrigerators



- Suitable for transporting vaccines, samples and temperature sensitive material
- 12 Volt DC, (fitted with car cigarette lighter connection for mobile operation) or 220/110 volt mains operation
- Temperature range +2°C to +8°C
- Forced-air cooling
- Digital temperature display
- Audio/visual temperature alarm
- Max/Min temperature memory
- CFC & Ammonia free
- Max. Ambient +32°C

Model SMP26
Capacity: 26 litres
Dimensions:
38.5H x 34.5W x 51L cm

Model SMP41
Capacity: 41 litres
Dimensions:
40H x 61W x 38.5D cm

Model SMP65
Capacity: 65 litre
Dimensions:
45H x 72.5W x 51D cm

4800	SMP26, 26 litre	£569.00
4801	SMP41, 41 litre	£599.00
8805	SMP65, 65 litre	£699.00

Shoreline Optional Sliding Drawer



4803	Single Sliding Drawer	£145.00
------	-----------------------	---------

Dometic DS601H Pharmacy Refrigerator 53 Litre



- Manufactured to UK & European Standards for the storage of pharmaceuticals & vaccines
- Temperature range +2°C to +8°C
- Circulation from internal fan leading to increased cooling performance potential maximum temperature differential +/- 2°C. Reduces frost build up on cooling fins
- Door alarm sounds after 20 seconds to alert user that door is still open, reducing chances of increased internal temperature. More intense alarm sounds after 1 minute should the door remain open
- Interior Draw Fronts offer greater protection from ambient external temperature resulting in increased performance
- Improved electronics in thermostatic controller meaning improved temperature control
- Digital thermometer display
- Internal LED light
- Silent Operation absorption cooling system that results in the noiseless running, meaning the fridge can be situated in any environment without causing disturbance
- Optional wall mountable, using specifically designed wall brackets these units are able to be wall hung to increase valuable limited space
- Lockable
- Manual defrost
- Reversible hanging lockable door
- 2 x drawers with adjustable dividers
- Dimensions: 59.2H x 48.6W x 49.4D cm
- Weight: 20kg



Extra carriage to Northern Scotland & offshore islands

5618	Dometic DS601H, 53 litre	£455.00
5620	Wall Bracket for DS601H	£67.00

Dometic DS301H Pharmacy Refrigerator 28 Litre



- Manufactured to UK & European Standards for the storage of pharmaceuticals & vaccines
- Temperature range +2°C to +8°C
- Circulation from internal fan leading to increased cooling performance potential maximum temperature differential +/- 2°C. Reduces frost build up on cooling fins
- Door alarm sounds after 20 seconds to alert user that door is still open, reducing chances of increased internal temperature. More intense alarm sounds after 1 minute should the door remain open
- Interior Draw Fronts offer greater protection from ambient external temperature resulting in increased performance
- Improved electronics in thermostatic controller meaning improved temperature control
- Digital thermometer display
- Internal LED light
- Silent Operation absorption cooling system that results in the noiseless running, meaning the fridge can be situated in any environment without causing disturbance
- Optional wall mountable, using specifically designed wall brackets these units are able to be wall hung to increase valuable limited space
- Lockable
- Manual defrost
- Reversible hanging lockable door
- 2 x drawers with adjustable dividers
- Dimensions: 58H x 42.2W x 39.3D cm
- Weight: 15kg



Extra carriage to Northern Scotland & offshore islands

5617	Dometic DS301H, 28 litre	£379.50
5619	Dometic Wall Bracket for DS301H	£58.00

